

Literaturliste

Inhalt

1. Allgemeine Übersicht zum Thema Tierschutz / Tierwohl in der Aquakultur	1
1.1. Verbraucherwahrnehmung zum Thema Tierwohl.....	2
2. Kognition, Empfindungsvermögen, Bewusstsein und Schmerz.....	4
2.1. Kognition, Empfindungsvermögen, Bewusstsein und Schmerz bei Invertebraten.....	9
3. Stress	10
3.1. Stress und Fleischqualität.....	11
4. Krankheiten	12
5. Haltungssysteme.....	14
6. Tierwohlindikatoren und “Best Practice”	15
6.1. Flossenschäden.....	17
7. Ernährung	21
8. Wasserqualität	24
9. Handling und Transport.....	27
10. Betäubung und Schlachtung.....	30

1. Allgemeine Übersicht zum Thema Tierschutz / Tierwohl in der Aquakultur

Ashley PJ (2007) Fish welfare: Current issues in aquaculture. *Applied Animal Behaviour Science*, 104, 199-235.

Branson EJ (2008) Fish Welfare. Blackwell Publishing. 300 pp.

Conte FS (2004) Stress and the welfare of cultured fish. *Applied Animal Behaviour Science*, 86, 205–223.

Cooke, M. (2016): Animal Welfare in Farmed Fish. Investor Briefing No.23, Business Benchmark on Farm Animal Welfare.

DLG Ausschuss für Aquakultur (2014) Tierwohl in der Aquakultur. DLG Merkblatt 401. DLG e.V. Fachzentrum Land- und Ernährungswirtschaft, Frankfurt am Main.

FAWC (2014) Opinion on the Welfare of Farmed Fish. Farm Animal Welfare Committee, 40pp.

Fraser P (2009) Do crabs have rights? *NewScientist*, 24-25.

Horvath K, Angeletti D, Nascetti G, Carere C (2013) Invertebrate welfare: an overlooked issue. *Annali dell'Istituto Superiore Di Sanita*, 49(1), 9-17.

Huntingford FA, Adams C, Braithwaite VA, Kadri S, Pottinger TG, Sandoe P, Turnbull JF (2006) Current issues in fish welfare. *Journal of Fish Biology*, 68, 332–372.

Lund V, Mejdl CM, Röcklinsberg H, Anthony R, Håstein T (2007) Expanding the moral circle: farmed fish as objects of moral concern. *Inter-Research Diseases of Aquatic Organisms*, 75(2), 109-118.

Mancuso (2013) Fish Welfare in Aquaculture. *Journal of Aquaculture Research and Development*, 4(6).

Mejdell CM, Lund V, Hastein T (2007) Fish Welfare in Aquaculture. *Journal of Commonwealth Veterinary Association*, 23(2), 21-26.

Turnbull JF, Kadri S (2007) Safeguarding the many guises of farmed fish welfare. *Diseases of Aquatic Organisms*, 75, 173-182.

Volpato GL, Gonçalves-de-Freitas E, Fernandes-de-Castilho M (2007) Insights into the concept of fish welfare. *Diseases of Aquatic Organisms*, 75, 165–171.

Weirup, L., Seibel, H. (2019) Aquakulturen - Systeme und Tierwohlaspekte. In: Haben Tiere Rechte? Aspekte und Dimensionen der Mensch-Tier-Beziehung. Herausgeber: Diehl E., & Tuider J., Bundeszentrale für politische Bildung, Schriftenreihe (BD. 10450), 16.09.2019, Bonn, S. 412.

1.1. Verbraucherwahrnehmung zum Thema Tierwohl

Bateson (1972): Steps to an ecology of mind: Collected essays in anthropology, psychiatry, evolution and epistemology. (1.ed.), Chicago: Chicago University Press.

Böhm, J. (2011): Die Bedeutung der Gesellschaft für die Agrar- und Ernährungswirtschaft. Dissertation zur Erlangung des Doktorgrades an der Georg-August-Universität Göttingen (1. Ed). Cuvillier Verlag.

Böhm, J., Schulze, B. (2010): Der Milchstreik aus Medien- und Verbrauchersicht – Eine empirische Analyse auf Basis des Framing Ansatzes. In: Spiller (Hrsg.): Die Ernährungswirtschaft in der Öffentlichkeit – Social Media als neue Herausforderung des PR. (1.ed.) Göttingen, Cuvillier Verlag, 185-229.

Bundesministerium für Ernährung und Landwirtschaft (BMEL) (2015): Wege zu einer gesellschaftlich akzeptierten Nutztierhaltung.

Ellingsen, K., Grimsrud, K., Nielsen, H.M., Mejdl, C., Olesen, I., Honkanen, P., Navrud, S., Gamborg, C., Sandøe, P. (2015): Who cares about fish welfare? - A Norwegian study. *British Food Journal*, 117(1).

Feucht, Y., Zander, K. (2017): Aquaculture in the German print media. *Aquaculture International*, 25(1), 177-195.

-
- Fröhlich, H. E., Gentry, R. R., Rust, M. B., Grimm, D., Halpern, B. S. (2017): Public Perceptions of Aquaculture: Evaluating Spatiotemporal Patterns of Sentiment around the World. *PLoS One*, **12**(1), e0169281.
- Heise, H. (2016): Tierwohl in der Nutztierhaltung: Eine Stakeholder-Analyse. Dissertation zur Erlangung des Doktorgrades der Fakultät für Agrarwissenschaften der Georg August-Universität Göttingen.
- Kayser, M., Böhm, J., Spiller, A. (2011): Zwischen Markt und Moral - wie wird die deutsche Agrar- und Ernährungswirtschaft in der Gesellschaft wahrgenommen?. GEWISOLA
- Korn, A., Janssen, M., Hamm, U., Feucht, Y., Zander, K. (2015): Entwicklung einer Kommunikationsstrategie für nachhaltige Aquakulturprodukte. Bundesprogramm Ökologischer Landbau und andere Formen nachhaltiger Landwirtschaft, 170.
- Lensch, K., Hartmann, M., Simons, J. (2011): Beeinflussung der Wirkung von Ernährungsinformation durch Framing: Analyse am Beispiel von Folsäure. *German Journal of Agricultural Economics*, **60**(3), 139-152.
- Olsen, M. S., Osmundsen, T. C. (2017): Media framing of aquaculture. *Marine Policy*, **76**, 19-27.
- Pieniak, Z., Verbeke, W., Scholderer, J. (2010). Health-related beliefs and consumer knowledge as determinants of fish consumption. *Journal of Human Nutrition and Dietetics*, **23**(5), 480-488.
- Pieniak, Z., Verbeke, W., Scholderer, J., Brunsø, K., Olsen, S. O. (2007): European consumers' use of and trust in information sources about fish. *Food Quality and Preference*, **18**(8), 1050-1063.
- Scheufele, D. A. (2014): Science communication as political communication. *Proceedings of the National Academy of Sciences of the United States of America*, **111**(4), 13585-13592.
- Schlag, A. K. (2010): Aquaculture: an emerging issue for public concern. *Journal of Risk Research*, **13**(7), 829-844.
- Schlag, K. A., Ystgaard, K. (2013): Europeans and aquaculture: perceived differences between wild and farmed fish. *British Food Journal*, **115**(2), 209-222.
- Schreiber, D., Matthews, R., Elliott, B. (2003): The Framing of Farmed Fish: Product, Efficiency and Technology. *Canadian Journal of Sociology*, **28**(2), 153-169.
- Solgaard, H., Yang, Y. (2011). Consumers' perception of farmed fish and willingness to pay for fish welfare. *British Food Journal*, **113**(8), 997-1010.

2. Kognition, Empfindungsvermögen, Bewusstsein und Schmerz

Allman J (1999) Evolving Brains. Scientific American Library, New York, 224 S.

Arlinghaus R, Cooke SJ, Schwab A, Cowx IG (2007) Fish welfare: a challenge to the feelings-based approach, with implications for recreational fishing. *Fish Fisheries*, **8**, 57-71.

Bateson P (1991) Assessment of pain in animals. *Animal Behaviour*, **42**, 827–839.

Beckoff M, Sherman PW (2004) Reflections on animal selves. *Trends in Ecology and Evolution*, **19**, 176–80.

Black AH, deToledo L (1972) The relationship among classically conditioned responses: heart rate and skeletal behavior. In: A.H. Black & W.F. Prokasy (Eds) Classical Conditioning. II. Current Theory and Research. pp. 290–311. Appleton (Century/Crofts), New York.

Bolles RC, Fanselow MS (1980) A perceptual–defensive–recuperative model of fear and pain. *Behavioral and Brain Sciences*, **3**, 291–301.

Bradford MR (1995) Comparative aspects of forebrain organization in the ray-finned fishes – touchstones or not. *Brain Behavior and Evolution*, **46**, 259–74.

Bradley MM, Lang PJ, Cuthbert BN (1993) Emotion, novelty, and the startle reflex – habituation in humans. *Behavioral Neuroscience*, **107**, 970–80.

Braithwaite V (2010) Do Fish Feel Pain? Oxford University Press Inc., New York, 194 S.

Brown C, Laland K, Krause J (2006) Fish Cognition and Behavior. Blackwell Publishing.

Brown C, Laland KN (2003) Social learning in fishes: a review. *Fish and Fisheries*, **4**, 280–8. Butler AB (2000) Topography and topology of the teleost telencephalon: a paradox resolved. *Neuroscience Letters*, **293**, 95–8.

Buatti MC, Pasternak GW (1981) Multiple opiate receptors: phylogenetic differences. *Brain Research*, **218**, 400-405.

Cabanac M (1992) Pleasure – the common currency. *Journal of Theoretical Biology*, **155**, 173–200.

Carter R (1996) Mapping the Mind. Phoenix Press, London.

Chandroo KP, Duncan IJH & Moccia RD (2004) Can fish suffer? perspectives on sentience, pain, fear and stress. *Applied Animal Behaviour Science*, **86**, 225–50.



Chervova, L.S. (1997) Pain sensitivity and behaviour of fishes. *Journal of Ichthyology*, **37**, 98–102.

Cottee SY (2012) Are fish the victims of 'speciesism'? A discussion about fear, pain and animal consciousness. *Fish Physiology and Biochemistry*, **38**, 5-15.

Davis RE & Klinger PD (1994) NMDA receptor antagonist MK-801 blocks learning of conditioned stimulus–unconditioned stimulus contiguity but not fear of conditioned stimulus in goldfish (*Carassius auratus* L.). *Behavioral Neuroscience*, **108**, 935–40.

Derbyshire SWG (1999) Locating the beginnings of pain. *Bioethics*, **13**, 1-31.

Duncan IJH (1996) Animal welfare defined in terms of feelings. *Acta Agriculturae Scandinavica. A Suppl*, **27**, 29–35.

Dunlop R, Laming P (2005) Mechanoreceptive and nociceptive responses in the central nervous system of goldfish (*Carassius auratus*) and trout (*Oncorhynchus mykiss*). *Journal of Pain*, **6**, 561-568.

Dunlop R, Millsopp S, Laming P (2006) Avoidance learning in goldfish (*Carassius auratus*) and trout (*Oncorhynchus mykiss*) and implications for pain perception. *Applied Animal Behaviour Science*, **97**, 255-271.

Earp SE, Maney DL (2012) Birdsong: is it music to their ears? *Frontiers in Evolutionary Neuroscience*, **4**(14), 1-10.

Fendt M, Fanselow MS (1999) The neuroanatomical and neurochemical basis of conditioned fear. *Neuroscience and Biobehavioral Reviews*, **23**, 743–60.

Hunt GR, Gray RD (2003) Diversification and cumulative evolution in New Caledonian crow tool manufacture. *Proceedings of the Royal Society B*, **270**, 867-874.

International Association for the Study of Pain (1979) Pain terms: a list with definitions and notes on usage. Recommended by the IASP Subcommittee on Taxonomy. *Pain*, **6**, 249–52.

Ito H, Yamamoto N (2009) Non-laminar cerebral cortex in teleost fishes? *Biological Letter*, **5**, 117–121.

Jarvis ED, Güntürkün O, Bruce L, Csillag A, Karten H, Kuenzel W, Medina L, Paxinos G, Perkel DJ, Shimizu T, Striedter G, Wild JM, Ball GF, Dugas-Ford J, Durand SE, Hough GE, Husband S, Kubikova L, Lee DW, Mello CV, Powers A, Siang C, Smulders TV, Wada K, White SA, Yamamoto K, Yu J, Reiner A, Butler AB (2005) Avian brains and a new understanding of vertebrate brain evolution. *Nature Reviews Neuroscience*, **6**, 151-159.

Johnsson JI, Akerman A (1998) Watch and learn: preview of the fighting ability of opponents alters contest behaviour in rainbow trout. *Animal Behaviour*, **56**, 771–6.

Jones RB (1997) Fear and distress. In: M.C. Appleby & B.O. Hughes (Eds) *Animal Welfare*, pp. 75–87. CAB International, Wallingford.

Key B (2016) Why fish do not feel pain. *Animal Sentience*, **3**.

Laureys S, Faymonville ME, Peigneux P, Damas P, Lambermont B, Del Fiore G, Degueldre C, Aerts J, Luxen A, Franck G, Lamy M, Moonen G, Maquet P (2002) Cortical processing of noxious somatosensory stimuli in the persistent vegetative state. *NeuroImage*, **17**, 732-741.

LeDoux JE (2000) Emotion circuits in the brain. *Annual Review of Neuroscience*, **23**, 155–84.

Maren S (2001) Neurobiology of pavlovian fear conditioning. *Annual Review of Neuroscience*, **24**, 897–931.

McGregor PK, Peake TM, Lampe HM (2001) Fighting fish *Betta splendens* extract relative information from apparent interactions: what happens when what you see is not what you get. *Animal Behaviour*, **62**, 1059–65.

Merker B (2007) Consciousness without a cerebral cortex: A challenge for neuroscience and medicine. *Behavioral and Brain Sciences*, **30**(1), 63-134.

Millsopp S, Laming P (2008) Trade-offs between feeding and shock avoidance in goldfish (*Carassius auratus*). *Applied Animal Behaviour Science*, **113**, 247-254.

Newby NC, Stevens ED (2008) The effects of the acetic acid “pain” test on feeding, swimming and respiratory responses of rainbow trout (*Oncorhynchus mykiss*). *Applied Animal Behavior Science*, **114**, 260– 269.

Northcutt, RG, Kaas JH (1995) The emergence and evolution of mammalian neocortex. *Trends in Neuroscience* **18**, 373-379.

Oliveira, R.F., McGregor, P.K. & Latruffe, C. (1998) Know the enemy: fighting fish gather information from observing conspecific interactions. *Proceedings of the Royal Society of London Series B – Biological Sciences*, **265**, 1045–9.

Panksepp J (1998) *Affective Neuroscience: The Foundations of Human and Animal Emotion*. OUP, New York.

Portavella M, Torres B, Salas C & Papini MR (2004) Lesions of the medial pallium, but not of the lateral pallium, disrupt spaced-trial avoidance learning in goldfish (*Carassius auratus*). *Neuroscience Letters*, **362**, 75–8.

Portavella M, Torres B, Salas C (2004a) Avoidance Response in Goldfish: Emotional and Temporal Involvement of Medial and Lateral Telencephalic Pallium. *The Journal of Neuroscience*, **24**(9), 2335–2342.

Portavella M, Vargas JP, Torres B & Salas C (2002) The effects of telencephalic pallial lesions on spatial, temporal, and emotional learning in goldfish. *Brain Research Bulletin*, **57**, 397–9.

Rakic P (2009) Evolution of the neocortex: Perspective from developmental biology. *Nature Reviews Neuroscience*, **10**(10), 724-735.

Reilly SC, Quinn JP, Cossins AR, Sneddon LU (2008). Behavioural analysis of a nociceptive event in fish: comparisons between three species demonstrate specific responses. *Applied Animal Behaviour Science*, **114**, 248-259.

Reiner A, Northcutt RG (1987) An immunohistochemistry study of the telencephalon of the African lungfish. *Protopterus annectens*. *Journal of Comparative Neurology*, **256**, 463-481.

Roberts RJ, Schlotfeldt HJ (1985) Grundlagen der Fischpathologie. Paul Parey, Berlin und Hamburg, 425 S.

Rose JD (2002) The neurobehavioral nature of fishes and the question of awareness and pain. *Reviews in Fisheries Science*, **10**, 1-38.

Rose JD, Arlinghaus R, Cooke SJ, Diggles BK, Sawynok W, Stevens ED, Wynne CDL (2014) Can fish really feel pain? *Fish and Fisheries*, **15**(1), 97-133.

Salas C, Rodriguez F, Vargas JP, Duran E, Torres B (1996b) Spatial learning and memory deficits after telencephalic ablation in goldfish trained in place and turn maze procedures. *Behavioral Neuroscience*, **110**, 965–80.

Schulman JA, Finger TE, Brecha NC, Karten HJ (1981) Enkephalin immunoreactivity in Golgi cells and mossy fibres of mammalian, avian and teleost cerebellum. *Neuroscience*, **6**, 2407-2416.

Schumacher S, Burt de Perera T, Thenerta J, von der Emde G (2016) Cross-modal object recognition and dynamic weighting of sensory inputs in a fish. *Proceedings of the National Academy of Sciences*, **113**(27), 7638-7643.

Sneddon LU (2002) Anatomical and electrophysiological analysis of the trigeminal nerve in a teleost fish, *Oncorhynchus mykiss*. *Neuroscience Letters*, **319**, 167-171.

Sneddon LU (2003) The evidence for pain in fish: the use of morphine as an analgesic. *Applied Animal Behaviour Science*, **83**, 153-162.

Sneddon LU (2003) Trigeminal somatosensory innervation of the head of the rainbow trout with particular reference to nociception. *Brain Research*, **972**, 44-52.

Sneddon LU (2004) Evolution of nociception in vertebrates: comparative analysis of lower vertebrates. *Brain Research Reviews*, **46**, 123-130.

-
- Sneddon LU (2013) Do painful sensations and fear exist in fish. In van der Kemp TA & Lachance M (Eds.), *Animal suffering: From science to law, international symposium* (pp. 93-112). Toronto, Canada: Carswell.
- Sneddon LU (2015) Pain in aquatic animals. *The Journal of Experimental Biology*, **218**, 967-976.
- Sneddon LU (2011) Pain Perception in Fish - Evidence and Implications for the Use of Fish. *Journal of Consciousness Studies*, **18**(9-10), 209-29.
- Sneddon LU, Braithwaite VA, Gentle MJ (2003) Do fishes have nociceptors? Evidence for the evolution of a vertebrate sensory system. *The Royal Society*, **270**(1520), 1115-1120.
- Sneddon LU, Elwood RW, Adamo SA, Leach MC (2014) Defining and assessing animal pain. *Animal Behaviour*, **97**, 201-212.
- Tomie A, Silberman Y, Williams K, Pohorecky LA (2002) Pavlovian autosshaping procedures increase plasma corticosterone levels in rats. *Pharmacology Biochemistry and Behavior*, **72**, 507-13.
- Topal J, Csanyi V (1999) Interactive learning in the paradise fish (*Macropodus opercularis*): an ethological interpretation of the second-order conditioning paradigm. *Animal Cognition*, **2**, 197–206.
- Vecino E, Ekstrom P, Sharma SC (1991) Enkephalin-like immunoreactive cells in the mesencephalic tegmentum project to the optic tectum in *Salmo gairdneri* and *Salmo salar*. *Cell Tissue Research*, **264**, 133-137.
- Vecino E, Pinuela C, Arevalo R, Lara J, Alonso JR, Aijon J (1992) Distribution of enkephalin like immunoreactivity in the central nervous system of the rainbow trout: an immunocytochemical study. *Journal of Anatomy*, **180**, 435-453.
- Ward LM (2011) The thalamic dynamic core theory of conscious experience. *Consciousness and Cognition*, **20**(2), 464-86.
- Weir AAS, Chappell A, Kacelnik J (2002) Shaping of hooks in New Caledonian crows. *Science*, **297**, 981.
- Weirup, L., Seibel, H. (2020) Schmerzempfindung bei Fischen. Internetbeitrag Aquakulturinfo. <https://www.aquakulturinfo.de/schmerzempfindung-bei-fischen>
- Xu X (1997) NMDA receptor antagonist MK-801 selectively impairs learning of the contiguity of the conditioned stimulus and unconditioned stimulus in goldfish. *Pharmacology, Biochemistry and Behavior*, **58**, 491-6.
- Young RF (1977) Fiber spectrum of the trigeminal sensory root of frog, cat and man determined by electron microscopy. In Anderson DL and Matthews B (Eds.), *Pain in the Trigeminal Region*, Elsevier, Amsterdam, 137-160.

2.1. Kognition, Empfindungsvermögen, Bewusstsein und Schmerz bei Invertebraten

- Barr S, Elwood RW (2011) No evidence of morphine analgesia to noxious shock in the shore crab, *Carcinus Maenas*. *Behavioural Processes*, 86, 340–344.
- Barr S, Laming PR, Dick JTA, Elwood RW (2008). Nociception or pain in a decapod crustacean? *Animal Behaviour*, 75, 745-751.
- Broom DM (2007) Cognitive ability and sentience: which aquatic animals should be protected? *Diseases of Aquatic Organisms*, 75, 99-108.
- Bundestierärztekammer (2017) Mehr Platz und Rückzugsmöglichkeit für Hummer & Co. Pressebericht Nr. 3/2017, 1-2.
- Denti A, Dimant B, Maldonado H (1988) Passive avoidance learning in the crab *Chasmagnathus granulatus*. *Physiology & Behavior*, 43, (3), 317–320.
- Elwood RW (2011) Pain and suffering in invertebrates. *ILAR Journal*, 52, 175-184.
- Elwood RW (2012) Evidence for pain in decapod crustaceans. *Animal Welfare*, 21(2), 23-27.
- Elwood RW, Appel M (2009) Pain in hermit crabs? *Animal Behaviour*, 77, 1243-1246.
- Fraser P (2009) Do crabs have rights? *NewScientist*, 24-25.
- Horvath K, Angeletti D, Nascetti G, Carere C (2013) Invertebrate welfare: an overlooked issue. *Annali dell'Istituto Superiore Di Sanita*, 49(1), 9-17.
- Le Moullac G, Haffner P (2000) Environmental factors affecting immune responses in Crustacea. *Aquaculture*, 191, 121-131.
- Lozada M, Romano A, Maldonado H (1988) Effects of morphine and naloxone on a defensive response of the crab *Chasmagnathus granulatus*. *Pharmacology Biochemistry and Behavior*, 30, 635–640.
- Magee B, Elwood RW (2013) Shock avoidance by discrimination learning in the shore crab (*Carcinus maenas*) is consistent with a key criterion for pain. *The Journal of Experimental Biology*, 216, 353-358.
- Maldonado H, Romano A, Lozada M (1989) Opiate action on response level to danger stimulus in the crab (*Chasmagnathus granulatus*). *Behavioral Neuroscience*, 103(5), 1139-43.
- Ottaviani E, Franceschi C (1996) The neuroimmunology of stress from invertebrates to man. *Progress Neurobiology*, 49(3), 285.
- Patterson L, Dick JTA, Elwood RW (2007) Physiological stress responses in the edible crab *Cancer pagurus* to the fishery practice of de-clawing. *Marine Biology*, 152, 265-272.
- Sherwin CM (2001) Can invertebrates suffer? Or how robust is argument by analogy? *Animal Welfare*, 10, 103-118.

Sneddon LU (2015) Pain in aquatic animals. *The Journal of Experimental Biology*, 218, 967-976.

Stefano GB, Cadet P, Zhu W, Rialas CM, Mantione K, Benz D, Fuentes R, Casares F, Fricchione GL, Fulop Z, Slingsby B (2002) The blueprint for stress can be found in invertebrates. *Neuro Endocrinology Letters*, 23(2), 85-93.

Verwaltungsgerichts Berlin (2016) Hummerhaltung im Supermarkt. Bericht zur Geschäftslage 2015 und Ausblick auf 2016, 1-15.

Walther (2008) Krebstiere (Crustacea) – Biologie, Vorkommen, Haltung und Erkrankungen, sowie ihre Bedeutung als Zootierobjekte und Lebensmittelressourcen. Dissertation Fachbereich Veterinärmedizin, der Justus - Liebig Universität Gießen.

3. Stress

Barton BA, Iwama GK (1991) Physiological changes in fish from stress in aquaculture with emphasis on the response and effects of corticosteroids. *Annual Review of Fish Diseases*, 1, 3-26.

Conte FS (2004) Stress and the welfare of cultured fish. *Applied Animal Behaviour Science*, 86, 205–223.

Demers NE & Bayne CJ (1997) The immediate effects of stress on hormones and plasma lysozyme in rainbow trout. *Developmental and Comparative Immunology*, 21(4), 363–373.

Ellis T, Yildiz HJ, Lopez-Olmeda J, Spedicato MT, Tort L, Øverli Ø, Martins CIM (2012) Cortisol and finfish welfare. *Fish Physiology Biochemistry*, 38, 163–188.

Koolhaas JM, Korte SM, De Boer SF, Van der Vegt BJ, Van Reenen CG, Hopster H, De Jong IC, Ruis MAW, Blokhuis HJ (1999) Coping styles in animals: current status in behavior and stress-physiology. *Neuroscience & Biobehavioral Reviews*, 23, 925–935.

McDonald G, Milligan L (1997) Ionic, osmotic and acid-base regulation in stress. In: Iwama GK, Pickering AD, Sumpter JP, Schreck CB (Eds.) *Fish Stress and Health in Aquaculture*. Soc. Exp. Biol. Semin. Ser.62. Cambridge University Press, UK, 119–144.

Pickering AD (1992) Rainbow trout husbandry—management of the stress response. *Aquaculture*, 100, 125–139.

Pickering AD (1993) Growth and stress in fish production. *Aquaculture*, 111(1–4), 1, 51–63.

Pottinger TG (2010) A multivariate comparison of the stress response in three salmonid and three cyprinid species: evidence for inter-family differences. *Journal of Fish Biology*, 76(3), 601-21.

-
- Reiser S, Wuertz S, Schroeder JP, Kloas W, Hanel R (2011) Risks of seawater ozonation in recirculation aquaculture – Effects of oxidative stress on animal welfare of juvenile turbot (*Psetta maxima*, L.) *Aquatic Toxicology*, 105, 508–517.
- Schreck CB (1981) Stress and compensation in teleostean fishes: response to social and physical factors. In: AD, P (Ed.) *Stress and Fish*. Academic Press, London, 295–321.
- Schreck CB, Olla BL, Davis, MW (1997) Behavioural response to stress. In: Iwama G, Pickering A, Sumpter J (1997) *Fish Stress and Health in Aquaculture*. Cambridge University Press, Cambridge, 145-170.
- Scott AP, Ellis T (2007) Measurement of fish steroids in water—a review. *General and Comparative Endocrinology*, 153, 392–400.
- Terova G, Gornati R, Rimoldi S, Bernardini G, Saroglia M (2005) Quantification of a glucocorticoid receptor in sea bass (*Dicentrarchus labrax*L.) reared at high stocking density. *Gene*, 357, 144–151.
- Wedemeyer GA (1996). *Physiology of Fish in Intensive Culture Systems*. Chapman & Hall, ITP, New York, 232.
- Wedemeyer GA (1997) Effects of rearing conditions on the health and physiological quality of fish in intensive culture. In: Iwama G, Pickering A, Sumpter J, Schreck C (Eds.) *Fish Stress and Health in Aquaculture*. Cambridge University Press, Cambridge, 35–72.
- Weirup, L., Schulz, C., Seibel, H., Aerts, J. (2021) Scale cortisol is positively correlated to fin injuries in rainbow trout (*Oncorhynchus mykiss*) reared in commercial flow through systems. *Aquaculture*, 543. <https://doi.org/10.1016/j.aquaculture.2021.736924>
- Wendelaar Bonga SE (1997) The Stress Response in Fish. *Physiological Reviews*, 77(3), 591-625.

3.1. Stress und Fleischqualität

- Schreckenbach, K., Wedekind, H. (1999): Belastungen von Speisefischen bei der Lebendhälterung und Auswirkungen auf die Fleischqualität. *Fischer & Teichwirt*, 6, 223-224.
- Wedekind, H. (1994): Produktqualität bei Süßwasserfischen – ein Argument zur Absatzförderung. *Fischer und Teichwirt*, 1, 2-3.
- Wedekind, H. (1995): Qualität bei Süßwasserfischen und ihre Beeinflussung durch tierbedingte Faktoren. *Arbeiten des Deutschen Fischerei-Verbandes*, 62, 19-38.
- Wedekind, H. (1996): Product quality in aquaculture species – its variability and significance for processing and marketing. In C.-S- Lee (Ed.) *Aquaculture in Eastern European Countries*, Stara Zagora, Bulgaria. Tungkang Marine Laboratory Conference Proceedings 7.

Wedekind, H. (2004): Lebensmittelqualität beim Fisch: Konsequenzen für die Hälterung und Aufbewahrung. Tagung des Landesfischerverbandes Baden-Württemberg e.V., 31. Januar 2004, S.63-70.

Wedekind, H. (2005): Einfluss der Haltungstechnologie auf qualitätsrelevante Faktoren in der Fischproduktion und -vermarktung. Arbeiten des Deutschen Fischerei-Verbandes, 81, 106-120.

Wedekind, H. (2009): Qualität von Fischen aus der Aquakultur. Fleischwirtschaft, 5, 113-118.

4. Krankheiten

Baur, W.H., Rapp, J., (2003). Gesunde Fische- praktische Anleitung zum Vorbeugen, Erkennen und Behandeln von Fischkrankheiten. 2., neubearbeitete Auflage. Parey Berlin, 1- 317.

BMG - Bundesministerium für Gesundheit (2010) Gute Hygienepraxis in der Aquakultur Leitlinien und Vorlagen für Fischzüchter/Fischzüchterinnen und Händler/Händlerinnen mit lebenden Fischen.

Bruno, D.W. & Poppe, T.T. (1996) A Colour Atlas of Salmonid Diseases. Academic Press, London.

Bullock G, Herman R, Heinen J, Noble A, Weber A, Hankins J (1994) Observations on the occurrence of bacterial gill disease and amoeba gill infestation in rainbow trout cultured in a water recirculation system. Journal of Aquatic Animal Health, 6, 310–317.

Bullock, G.L., Cipriano, R.C., Sniesko, S.F. (1983). Furuncolosis and other diseases caused by *Acmononas salmonicida*. S. Department of Interior, Fish and Wildlife Service, Division of Fisheries Research, Washington, D.C., Fish Disease Leaflet 66.29.

Heckmann. R.A. (1993). Parasites of salmonid fishes. In: Stoskopf, M.K. (ed.) Fish medicine. W.B. Saunders Co., Philadelphia, PA, 408-428.

Henryon, M., Berg, P., Olesen, N.J., Kjær, T.E., Slierendrecht W.J., Jokumsen, A., Lund, I. (2005). Selective breeding provides an approach to increase resistance of rainbow trout (*Onchorhynchus mykiss*) to the diseases, enteric redmouth disease, rainbow trout fry syndrome, and viral haemorrhagic septicaemia. Aquaculture, 250(3-4), 621-636.

Klontz GW (1993) Environmental requirements and environmental diseases of salmonids. In: Stoskopf, M. (Ed.), Fish Medicine. Saunders, Philadelphia, PA, USA, pp. 333–342.

LAVES - Niedersächsisches Landesamt für Verbraucherschutz und Lebensmittelsicherheit. Fischseuchenbekämpfung in Niedersachsen. www.laves.niedersachsen.de/tiere/tiergesundheit/fischgesundheit/fischseu

chenbekaempfung/fischseuchenbekaempfung-in-niedersachsen-73670.html, 21.06.2018.

Liu D, Straus DL, Flemming Pedersen L, Meinelt T (2017) Pulse versus continuous peracetic acid applications: Effects on rainbow trout performance, biofilm formation and water quality. *Aquacultural Engineering*, 77, 72–79.

Liu, D., Straus, D.L., Pedersen L.F., Meinelt, T. (2017). Periodic bacterial control with peracetic acid in a recirculating aquaculture system and its long-term beneficial effect on fish health. *Aquaculture* 485, 154-159.ygren

Liversidge. J.M., Munro. A.S.L. (1978). The virology of teleosts. In: R.J. Roberts (ed.) *Fish pathology*. Bailhere Tindall, London, 114-143.

Mc Allister, PE. (1993). Salmonid fish viruses. In: Stoskopf. M.K. (ed.) *Fish medicine*. W.B. Saunders Co., Philadelphia, PA, 333-342.

Meinelt, T., Matzke, S., Stüber, A., Pietrock, M., Wienke, A., Mitchell A.J., Straus, D.L. (2009). Toxicity of peracetic acid (PAA) to tomonts of *Ichthyophthirius multifiliis*. *Diseases of Aquatic Organisms*, 86, 51– 56.

Meyer, EP (1974). Parasites of freshwater fishes; II, protozoa 3. *Ichthyophthirius multifiliis*. U.S. Department of Interior, Fish and Wildlife Service, Division of Fisheries Research, Washington, D.C., Fish Disease Leaflet 2.6.

Noble, A.C., Summerfelt, S.T. (1996). Diseases encountered in rainbow trout cultured in recirculating aquaculture. *Annual Review of Fish Diseases*, 6, 65-92.

Post GB (1987) *Text Book of Fish Diseases*. TFH Publications, Neptune, New Jersey, 287.

Schmidt, G., Henriksen, N.H., Buchmann K. (2016). ERM booster vaccination of rainbow trout using diluted bacterin: Field studies. *Aquaculture*, 464, 262-267.

Siwicki, A.K., Anderson, D.P., Rumsey, Gary, L. (1994). Dietary intake of immunostimulants by rainbow trout affects non-specific immunity and protection against furunculosis. *Veterinary Immunology and Immunopathology*, 41 (1-2), 125-139.

Vestergard-Jorgensen, P.E. (1974). A study of viral diseases in Danish rainbow trout, their diagnosis and control. Ph.D. Thesis. Danish Royal Veterinary and Agriculture University Copenhagen, 101.

Warren, J.W. (1991). *Diseases of hatchery fish*, 6th ed. U.S. Fish and Wildlife Service Pacific Region, Portland. OR, 92.Roberts RJ, Schlotfeldt HJ (1985) *Grundlagen der Fischpathologie*. Paul Parey, Berlin und Hamburg, 425 S.

5. Haltungssysteme

EIFAC (1986) Flow -through and Recirculation Systems. Report of the working group on terminology, format and units of measurement. EIFAC Technical Paper 49.

Kainz E, Lukowicz Mv (2018) Der Karpfenteich als Lebensraum. In Schäperclaus W, Lukowicz M.v. (Hrsg.) (2018) Lehrbuch der Teichwirtschaft. 5., aktualisierte Auflage 2018. Eugen Ulmer KG Stuttgart. 680 S.

Proske C, Lukowicz Mv (2018) Teichbau. In Schäperclaus W, Lukowicz M.v. (Hrsg.) (2018) Lehrbuch der Teichwirtschaft. 5., aktualisierte Auflage 2018. Eugen Ulmer KG Stuttgart. 680 S.

Rösch R, Brinker A (2018) Verfahren der Forellenproduktion. In Schäperclaus W, Lukowicz M.v. (Hrsg.) (2018) Lehrbuch der Teichwirtschaft. 5., aktualisierte Auflage 2018. Eugen Ulmer KG Stuttgart. 680 S.

Spotte S (1970) Fish and invertebrate culture: water management in closed systems. Wiley Interscience, John Wiley and Sons, New York, 145.

Timmons MB, Ebeling JM, Wheaton FW, Summerfelt ST, Vinci BJ (2002) Recirculating aquaculture systems, 2nd ed. Cayuga Aqua Ventures, Ithaca, NY, 769.

Waller U, Bischoff A, Orellana J, Sander M, Wecker B (2003) An advanced technology for clear water aquaculture recirculation systems: Results from a pilot production of Sea bass and hints towards "Zero Discharge". *European Aquaculture Society Special Publications*, **33**, 356-357.

Waller U, Sander M, Piker L (2001) Low energy and low water consumption recirculating system for marine fish: first results from a test run with *Dicentrarchus labrax* in an improved recirculating system and suggestions on an integration into secondary production lines. *European Aquaculture Society Special Publication*, **29**, 265-266.

Weirup, L., Seibel, H. (2019) Aquakulturen - Systeme und Tierwohlaspekte. In: Haben Tiere Rechte? Aspekte und Dimensionen der Mensch-Tier-Beziehung. Herausgeber: Diehl E., & Tuider J., Bundeszentrale für politische Bildung, Schriftenreihe (BD. 10450), 16.09.2019, Bonn, S. 412.

6. Tierwohlindikatoren und “Best Practice”

Almazan-Rueda P (2004) Towards assessment of welfare in African catfish *Clarias gariepinus*: the first step. PhD thesis, Wageningen University, 160 p.

Baldwin L (2010) The effects of stocking density on fish welfare. The Plymouth Student Scientist, 4(1), 372-383.

BMG - Bundesministerium für Gesundheit (2010) Gute Hygienepraxis in der Aquakultur Leitlinien und Vorlagen für Fischzüchter/Fischzüchterinnen und Händler/Händlerinnen mit lebenden Fischen.

Brown C, Laland K, Krause J (2006) Fish Cognition and Behavior. Blackwell Publishing. Conte FS (2004) Stress and the welfare of cultured fish. Applied Animal Behaviour Science, 86, 205–223.

DLG Ausschuss Aquakultur, Seibel, H., Weirup, L., 2018. Deutsche Landwirtschaftsgesellschaft e.V. - DLG-Merkblatt 441: Tierschutzaspekte in der Forellenhaltung. www.dlg.org/fileadmin/downloads/merkblaetter/dlg-merkblatt_441.pdf

Ellis T, North B, Scott AP, Bromage NR, Porter M, Gadd D (2002) The relationships between stocking density and welfare in farmed rainbow trout. Journal of Fish Biology, 61, 493–531.

EU Platform on Animal Welfare Own Initiative Group on Fish (2020). Guidelines on Water Quality and Handling for the Welfare of Farmed Vertebrate Fish (DOC.11068.2020 Rev.1). 20 S. <https://www.vdba.org/wp-content/uploads/2020/05/fishguidelines.pdf>

Galhardo L, Correia J, Oliveira RF (2008) The effect of substrate availability on behavioural and physiological indicators of welfare in the African cichlid (*Oreochromis mossambicus*). Animal Welfare, 17, 239–254.

Gutierrez Rabadan, C., Spreadbury, C. Consuegra, S. Garcia de Leaniz, C., 2021. Development, validation and testing of an Operational Welfare Score Index for farmed lumpfish *Cyclopterus lumpus* L. Aquaculture 531. <https://doi.org/10.1016/j.aquaculture.2020.735777>.

Kristiansen TS, Fernö A, Holm JC, Privitera L, Bakke S, Fosseidengen JE (2004) Swimming behaviour as an indicator of low growth rate and impaired welfare in Atlantic halibut (*Hippoglossus hippoglossus*L.) reared at three stocking densities. Aquaculture, 230, 137–151.

LfL (2011) Vermeidung von Flossenschäden bei Forellen - Informationen für Fischzüchter und Fischhalter. Bayerische Landesanstalt für Landwirtschaft.

MacIntyre C, Ellis T, North BP & Turnbull JF (2008) The influences of water quality on the welfare of farmed trout: a review. In: Fish Welfare. Ed. Branson, E. Blackwell Scientific Publications, London, 150-178.

Martins Cl, Galhardo L, Noble C, Damsgård B, Spedicato MT, Zupa W, Beauchaud M, Kulczy-kowska E, Massabuau JC, Carter T, Planellas SR, Kristiansen T (2012)

-
- Behavioural indicators of welfare in farmed fish. Fish physiology and biochemistry, 38(1), 17-41.
- Näslund J, Johnsson JI (2016) Environmental enrichment for fish in captive environments: effects of physical structures and substrates. Fish and Fisheries, 17, 1–30.
- Noble C, Kadri S, Mitchell DF, Huntingford FA (2007) Influence of feeding regime on intraspecific competition, fin damage and growth in Atlantic salmon parr (*Salmo salar* L.) held in freshwater production cages. Aquaculture Research, 38, 1137–1143.
- Noble, C., Gismervik, K., Iversen, M.H., Kolarevic, J., Nilsson, J., Stien, L.H., Turnbull, J.F., 2018. Welfare Indicators for farmed Atlantic salmon: tools for assessing fish welfare, 351 pp. ISBN: 978-82-8296-556-9.
- Noble, C., Gismervik, K., Iversen, M.H., Kolarevic, J., Nilsson, J., Stien, L.H., Turnbull, J.F., 2020. Welfare Indicators for farmed rainbow trout: tools for assessing fish welfare, 310 pp. ISBN 978-82-8296-620-7.
- Noble, C., Hernán, A., Cañon Jones, H.A., Damsgård, B., Flood, M.J., Midling, K.O., Roque, A., Steinar Sæther, B., Yue Cottee, S., 2012. Injuries and Deformities in Fish: Their Potential Impacts upon Aquacultural Production and Welfare. Fish Physiol. Biochem. 38(1), 61–83. <https://doi.org/10.1007/s10695-011-9557-1>
- North BP, Turnbull JF, Ellis T, Porter MJ, Migaud H, Bron J, Bromage NR (2006) The Impact of stocking density on the welfare of rainbow trout (*Oncorhynchus mykiss*). Aquaculture, 255, 466-479.
- OIE (2019). Aquatic Animal Health Code (2019). <https://www.oie.int/en/standard-setting/aquaticcode/access-online/>
- Pedrazzani, A.S., Quintiliano, M.H., Bolfe, F., de Oliveira Sans, E.C., Molento, C.F.M., 2020. Tilapia On-Farm Welfare Assessment Protocol for Semi-intensive Production Systems. Front. Vet. Sci. 7:606388. doi: 10.3389/fvets.2020.606388
- Roque d'Orbcastel E, Person-Le-Ruyet J, Le Bayon N, Blancheton JP (2009) Comparative growth and welfare in rainbow trout reared in re-circulating and flow through rearing systems. Aquacultural Engineering, 40(2), 79-86.
- RSPCA, 2020. RSPCA welfare standards for farmed rainbow trout. ISBN 978-0-901098-20-7
- RSPCA, 2021. RSPCA welfare standards for farmed atlantic salmon. ISBN 978-0-901098-14-6
- Sammouth S, d'Orbcastel E, Gasset E, Lemarié G, Breuil G, Marino G, Coeurdacier J, Fivelstad S, Blancheton J (2009) The effect of density on sea bass (*Dicentrarchus labrax*) performance in a tank-based recirculating system. Aquacultural Engineering, 40(4), 72-78.
- Schäperclaus W, Lukowicz M.v., 2018. Lehrbuch der Teichwirtschaft. 5., aktualisierte Auflage. Eugen Ulmer KG Stuttgart. 680 S. ISBN-10: 9783800156887

Schreckenbach, K., Wedekind H. (2003): Tierschutz- und praxisgerechte Bewirtschaftung von Angelteichen. Amtstierärztlicher Dienst und Lebensmittelkontrolle, 1, 20-29.

Stien, L.H., Bracke, M.B., Folkedal, O., Nilsson, J., Oppedal, F., Torgersen T., Kittilsen, S. Midtlyng, P., Øverli Ø., Kristiansen, T.S. (2013) Salmon Welfare Index Model (SWIM 1.0): A semantic model for overall welfare assessment of caged Atlantic salmon: Review of the selected welfare indicators and model presentation. *Reviews in Aquaculture*, 5, 33-57.

Studer BH (2015) Wie definiert die FishEthoBase das Fischwohl. FishEthoBase Research Group. FishBase Faltblatt 2/2015, fair-fish.net.

Turnbull JF, Kadri S (2007) Safeguarding the many guises of farmed fish welfare. *Diseases of Aquatic Organisms*, 75, 173-182.

Van de Nieuwegenissen P, Olwo J, Khong S, Verreth J, Schrama J (2009) Effects of age and stocking density on the welfare of African catfish, *Clarias gariepinus* Burchell. *Aquaculture*, 288, 69-75.

van de Vis, J.W., Poelman, M., Lambooij, E., Begout, M.-L., Pilarczyk, M., 2012. Fish welfare assurance system: initial steps to set up an effective tool to safeguard and monitor farmed fish welfare at a company level. *Fish Physiol. Biochem.* 38, 243–257. <https://doi.org/10.1007/s10695-011-9596-7>.

VDFF Arbeitskreis „Tierschutzindikatoren“ des Verbandes Deutscher Fischereiverwaltungsbeamter und Fischereiwissenschaftler e.V. (2016) Leitfaden Tierschutzindikatoren - mit Empfehlungen für die Durchführung betrieblicher Eigenkontrollen gemäß 11 Absatz 8 des Tierschutzgesetzes in Aquakulturbetrieben.

VDFF, 2016. “Animal Welfare Indicators” Guidelines with recommendations for the implementation of self-monitoring in accordance with Sec. 11 (8) of the German Animal Welfare Act in aquaculture establishments. “Animal Welfare Indicators” Working Group of the Verband Deutscher Fischereiverwaltungsbeamter und Fischereiwissenschaftler e.V. (Registered Association of German Fisheries Administration and Fisheries Scientists)

6.1. Flossenschäden

Abbott, J.C. & Dill, L.M. (1985) Patterns of aggressive attack in juvenile steelhead trout (*Salmo gairdneri*). *Canadian Journal of Fisheries and Aquatic Sciences*, **42**, 1702–6.

Adams, C.E., Turnbull, J., Bell, A., Bron, J.E., Huntingford, F.A. (2007) Multiple determinants of welfare in farmed fish: stocking density, disturbance, and aggression in Atlantic salmon (*Salmo salar*). *Canadian Journal of Fisheries and Aquatic Sciences*, **64**, 336-344.

Arnold, G.P., Webb, P.W., and Holford, B.H. (1991) The role of the pectoral fins in station-holding of Atlantic salmon parr (*Salmo salar* L.). *Journal of Experimental Biology*, **156**, 625–629.

Becerra, J., Montes, G.S., Bexiga, S.R.R & Junqueira, L.C.U. (1983) Structure of the tail fin in teleosts. *Cell and Tissue Research*, **230**, 127–37.

Berejikian, B.A., and Tezak, E.P. (2005) Rearing in enriched hatchery tanks improves dorsal fin quality of juvenile steelhead. *North American Journal of Aquaculture*, **67**(4), 289–293.

Bosakowski, T. & Wagner, E.J. (1994a) A survey of trout fin erosion, water quality, and rearing conditions at state fish hatcheries in Utah. *Journal of the World Aquaculture Society*, **25**, 308–16.

Bosakowski, T., Wagner, E.J., (1994b) Assessment of fin erosion by comparison of the relative fin length in hatchery and wild brown trout in Utah. *Canadian Journal of Fisheries and Aquatic Sciences*, **51**, 636-641.

Clayton, R.D., Stevenson, T.L. & Summerfelt, R.C. (1998) Fin erosion in intensively cultured walleyes and hybrid walleyes. *Progressive Fish-Culturist*, **60**, 114–18.

Drucker, E.G., Lauder, G.V. (2003) Function of pectoral fins in rainbow trout: behavioral repertoire and hydrodynamic forces. *Journal of Experimental Biology*, **206**: 813–826.

Ellis, T., Hoyle, I., Oidtmann, B., Turnbull, J.F., Jacklin, T.E. and Knowles, T.G., (2009) Further development of the “Fin Index” method for quantifying fin erosion in rainbow trout. *Aquaculture*, **289**, 3–4: 283–288.

Ellis, T., North, B.P., Scott A.P., Bromage, N.R., Porter, M.J., Gadd, D. (2002) The relationships between stocking density and welfare in farmed rainbow trout. *Journal of Fish Biology*, **61**, 493–531.

Ellis, T., Oidtmann, B., St-Hilaire, S., Turnbull, J.F., North, B.P., MacIntyre, C.M., Nikolaidis, J., Hoyle, I., Kestin, S.C., Knowles, T.G. (2008) Fin Erosion in Farmed Fish. Chapter 9, in Fish Welfare, edited by Branson EJ, Blackwell Publishing, 300.

Good, C., Davidson, J., Welsh, C., Brazil, B., Snekvik, K., Summerfelt, S. (2009) The impact of water exchange rate on the health and performance of rainbow trout *Oncorhynchus mykiss* in water recirculation aquaculture systems. *Aquaculture*, **294**, 80–85.

Heimer, J.T., Frazier, W.M., Griffith, J.S. (1985) Post-stocking performance of catchable-size hatchery rainbow trout with and without pectoral fins. *North American Journal of Fisheries Management*, **5**(1), 21–25.

Jobling, M., Baardvik, B.M., Christiansen, J.S. & Jørgensen, E.H. (1993) The effects of prolonged exercise training on growth performance and production parameters in fish. *Aquaculture International*, **1**, 95–111.

Kallio-Nyberg, I., Salminen, M., Saloniemi, I., and Kannala-Fisk, L. (2008) Marine survival of reared Atlantic salmon in the Baltic Sea: the effect of smolt traits and annual factors. *Fisheries Research*, **96**(2–3), 289–295.

Ketola, H.G. (1983) Requirement for dietary lysine and arginine by fry of rainbow trout. *Journal of Animal Science*, **56**, 101–7.

Kindschi, G.A. (1987) Method for quantifying degree of fin erosion. *Progressive Fish Culturist*, **49**, 314–15.

Kindschi, G.A., Shaw, H.T. & Bruhn, D.S. (1991a) Effect of diet on performance, fin quality, and dorsal skin lesions in steelhead. *Journal of Applied Aquaculture*, **1**, 113–20.

Kindschi, G.A., Shaw, H.T. & Bruhn, D.S. (1991b) Effects of baffles and isolation on dorsal fin erosion in steelhead trout, *Oncorhynchus mykiss* (Walbaum). *Aquaculture and Fisheries Management*, **22**, 343–50.

Klíma, O., Kopp, R., Hadašová, L., Mareš, J. (2013) Fin condition of fish kept in aquacultural systems. *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis*, LXI, **6**, 1907–1916.

Latremouille, D.N., (2003) Fin erosion in aquaculture and natural environments. *Reviews in Fisheries Science*, **11**, 315–335.

Lellis, W.A. & Barrows, F.T. (1997) The effect of diet on dorsal fin erosion in steelhead trout (*Oncorhynchus mykiss*). *Aquaculture*, **156**, 233–44.

LfL (2011) Vermeidung von Flossenschäden bei Forellen - Informationen für Fischzüchter und Fischhalter. Bayerische Landesanstalt für Landwirtschaft.

North, B.P., Turnbull, J.F., Ellis, T., Porter, M.J., Migaud, H., Bron, J., Bromage, N.R. (2006) The impact of stocking density on the welfare of rainbow trout (*Oncorhynchus mykiss*). *Aquaculture*, **255**, 466–479.

Person-Le Ruyet, J., Le Bayon, N., Gros, S. (2007) How to assess fin damage in rainbow trout, *Oncorhynchus mykiss*? *Aquatic Living Resources*, **20**, 191–195.

Petterson, E., Karlsson, L., Ragnarsson, B., Bryntesson, M., Berglund, A., Stridsman, S., Jonsson, S. (2013) Fin erosion and injuries in relation to adult recapture rates in cultured smolts of Atlantic salmon and brown trout. *Canadian Journal of Fisheries and Aquatic Sciences*, **70**, 915–921.

Rønsholdt, B. & Mclean, E. (1999) Quality characteristics of fresh rainbow trout as perceived by the Danish processing industry. *Aquaculture International*, **7**, 117–27.

Schneider, R. & Nicholson, B.L. (1980) Bacteria associated with fin rot disease in hatchery reared Atlantic salmon (*Salmo salar*). *Canadian Journal of Fisheries and Aquatic Sciences*, **37**, 1505–13.

Sharples, A.D. & Evans, C.W. (1996) Pathology of fin erosion in goldfish *Carassius auratus*. *Diseases of Aquatic Organisms*, **24**, 81–91.

Siiikavuopio, S.I. & Jobling, M. (1995) The effects of stocking density on survival and growth of wild-caught Arctic char. *Nordic Journal of Freshwater Research*, **71**, 419–23.

St Hilaire S., Ellis T., Cooke A., North B.P., Turnbull J.F., Knowles T., Kestin S., (2006) Fin erosion on rainbow trout on commercial trout farms in the United Kingdom. *Veterinary Record*, **159**, 446-451.

Standen, E.M. (2010) Muscle activity and hydrodynamic function of pelvic fins in trout (*Oncorhynchus mykiss*). *Journal of Experimental Biology*, **213**, 831–841.

Turnbull, J.F., Richards, R.H. & Robertson, D.A. (1996) Gross, histological and scanning electron microscopic appearance of dorsal fin rot in farmed Atlantic salmon, *Salmo salar* L., parr. *Journal of Fish Diseases*, **19**, 415–27.

Turnbull, J.F., Adams, C.E., Richards, R.H. & Robertson, D.A. (1998) Attack site and resultant damage during aggressive encounters in Atlantic salmon (*Salmo salar* L.) parr. *Aquaculture*, **159**, 345–53.

Turnbull, J.F., Bell, A., Adams, C., Bron, J. & Huntingford, F. (2005) Stocking density and welfare of cage farmed Atlantic salmon: application of a multivariate analysis. *Aquaculture*, **243**, 121–32.

Vehanen, T., Aspi, J., and Pasanen, P. (1993) The effect of size, fin erosion, body silvering and precocious maturation on recaptures in Carlin-tagged Baltic salmon (*Salmo salar* L.). *Annales Zoologici Fennici*, **30**, 277–285.

Wagner, E.J., Routledge, M.D. & Intelmann, S.S. (1996) Fin condition and health profiles of albino rainbow trout reared in concrete raceways with and without a cobble substrate. *Progressive Fish-Culturist*, **58**, 38–42.

Weirup, L., Schulz, C., Seibel, H., Aerts, J. (2021) Scale cortisol is positively correlated to fin injuries in rainbow trout (*Oncorhynchus mykiss*) reared in commercial flow through systems. *Aquaculture*, 543. <https://doi.org/10.1016/j.aquaculture.2021.736924>.

Winfree, R.A., Kindschi, G.A. & Shaw, H.T. (1998) Elevated water temperature, crowding, and food deprivation accelerate fin erosion in juvenile steelhead. *Progressive Fish Culturist*, **60**, 192–9.

7. Ernährung

- Alanara A, Brannas E (1996) Dominance in demand-feeding behaviour in Arctic charr and rainbow trout: the effect of stocking density. *Journal of Fish Biology*, 48, 242–254.
- Alexis MN (1990) Comparative evaluation of soybean meal and carob seed germ meal as dietary ingredients for rainbow trout fingerlings. *Aquatic Living Resources*, 3, 235–241.
- Andersen SM, Waagbø R, Espe M (2016) Functional amino acids in fish nutrition, health and welfare. *Frontiers in Bioscience (Elite Ed)*, 1(8), 143–69.
- Brannas E, Jonsson S, Lundqvist H (2003) Influence of food abundance on individual behaviour strategy and growthrate in juvenile brown trout (*Salmo trutta*). *Canadian Journal of Zoology*, 81, 684–691.
- Choo PS, Smith TK, Cho CY, Ferguson HW (1991) Dietary excesses of leucine influence growth and body composition of rainbow trout. *Journal of Nutrition*, 121, 1932–1939.
- Chou RL, Her BY, Su MS, Hwang G, Wu YH, Chen HY (2004) Substituting fish meal with soybean meal in diets of juvenile cobia *Rachycentron canadum*. *Aquaculture*, 229(1-4), 325–333.
- Cowey CB (1980) Protein metabolism in fish. In: Buttery PJ and Lindsay DB (Eds.): *Protein Deposition in animals*. Butterworths, London, Boston, 271–288.
- Francis G, Makkar HPS, Becker K (2001) Antinutritional factors present in plantderived alternate fish feed ingredients and their effects in fish. *Aquaculture*, 199(3-4), 197–227.
- Gatlin DM, Poe WE, Wilson RP (1986) Effects of singular and combined dietary deficiencies of selenium and Vitamin E on fingerling channel catfish (*Ictalurus punctatus*). *The Journal of Nutrition*, 116, 1061–1067.
- Hardy RW (2002) Rainbow Trout, *Oncorhynchus mykiss*. In Webster CD, ed. *nutrient requirements and feeding of finfish for aquaculture*. Wallingford: CABI.
- Hendricks JD (2002) Adventitious toxins. In: *Fish Nutrition*, 3rd edn (ed. by J.E. Halver & R.W. Hardy), 601–649. Academic Press, San Diego, CA.
- Iwashita Y, Suzuki N, Yamamoto T, Shibata J, Isokawa K, Soon AH, Ikehata Y, Furuita H, Sugita T, Goto T (2008). Supplemental effect of cholytaurine and soybean lecithin to a soybean meal-based fish meal-free diet on hepatic and intestinal morphology of rainbow trout *Oncorhynchus mykiss*. *Fisheries Science*, 74(5), 1083–1095.
- Jobling M (1994) *Fish bioenergetics*. Chapman & Hall, London.
- Kanazawa A, Teshima S, Imai K (1980) Biosynthesis of fatty acids in *Tilapia zillii* and the puffer fish. *Memoirs of Faculty of Fisheries*, 29, 313–318.

-
- Kindschi, G.A., Shaw, H.T. & Bruhn, D.S. (1991a) Effect of diet on performance, fin quality, and dorsal skin lesions in steelhead. *Journal of Applied Aquaculture*, 1, 113–20.
- Knudsen D, Urán P, Arnous A, Koppe W, Frøkiær H (2007) Saponin-Containing Subfractions of Soybean Molasses Induce Enteritis in the Distal Intestine of Atlantic Salmon. *Journal of Agricultural and Food Chemistry*, 55(6), 2261–2267.
- Krogdahl, Bakke-Mckellep, RØed and Baeverfjord (2000) Feeding Atlantic salmon *Salmo salar* L. soybean products: effects on disease resistance (Furunculosis), and lysozyme and IgM levels in the intestinal mucosa. *Aquaculture Nutrition*, 6(2), 77–84.
- Lall SP (2002) The minerals. In: Fish Nutrition, 3rd edn (ed. By Halver JE & Hardy RW), 259–308. Academic Press, San Diego, CA.
- Lall SP, Bishop FJ (1977) Studies on mineral and protein utilization by Atlantic salmon (*Salmo salar*) grown in seawater. *Fisheries and Marine Service Technical Report*, 688, 1–16.
- Merrifield DL, Olsen RE, Myklebust R, Ringø R (2011) Dietary Effect of Soybean (*Glycine max*) Products on Gut Histology and Microbiota of Fish. *Soybean and nutrition*, 231–250.
- Morales AE, Cardenete G, Sanz A, de la Higuera M (1999) Re-evaluation of crude fibre and acid-insoluble ash as inert markers, alternative to chromic oxide, in digestibility studies with rainbow trout (*Oncorhynchus mykiss*). *Aquaculture*, 179(1–4), 71–79.
- National Research Council - NRC (1993) Nutrient Requirements of Fish. Washington: National Academies Press.
- National Research Council - NRC (2011) Nutrient Requirements of Fish and Shrimp 1st ed., Washington: National Academies Press.
- Noble C, Kadri S, Mitchell DF, Huntingford FA (2007) Influence of feeding regime on intraspecific competition, fin damage and growth in Atlantic salmon parr (*Salmo salar* L.) held in freshwater production cages. *Aquaculture Research*, 38, 1137–1143.
- Ogino C, Takeda H (1976). Mineral requirements in fish—III calcium and phosphorus requirements in carp. *Bulletin of the Japanese Society for the Science of Fish*, 42, 793–799.
- Olivia-Teles A (2012) Nutrition and health of aquaculture fish. *Journal of Fish Diseases*, 35, 83–108.
- Poston HA, Combs GF, Leibovitz L (1976) Vitamin E and Selenium Interrelations in the Diet of Atlantic Salmon (*Salmo salar*): Gross, Histological and Biochemical Deficiency Signs. *The Journal of Nutrition*, 106(7), 892–904.
- Rubio VC, Sanchez E, Cerda ´-Reverter JM (2010) Compensatory feeding in the sea bass after fasting and physical stress. *Aquaculture*, 298, 332–337.

-
- Sanchez JA, Lopez-Olmeda JF, Blanco-Vives B, Sanchez Vazquez FJ (2009) Effects of feeding schedule on locomotor activity rhythms and stress response in sea bream. *Physiology & Behavior*, 98, 125–129.
- Spannhof L (1995) Einführung in die Fischphysiologie. Spannhof L, Steffens W Kapitel 1 Stoff- und Energieumsatz. Verlag Dr. Kovac Hamburg.
- Steffens W (1985) Grundlagen der Fischernährung. Gustav Fischer Verlag, Jena.
- Steffens W (1989) Principles of fish nutrition. Ellis Horwood Ltd., John Wiley & Sons, Chichester, New York.
- Tacon AG (1992) Nutritional fish pathology. Morphological signs of nutrient deficiency and toxicity in farmed fish. FAO Fisheries Technical Paper, 330,75.
- Tacon AG, Metian M (2008) Global overview on the use of fish meal and fish oil in industrially compounded aquafeeds: Trends and future prospects. *Aquaculture*, 285(1-4), 146-158.
- Takeuchi L, Takeuchi T, Ogino C (1980) Riboflavin Requirements in Carp and Rainbow Trout. *Bulletin of the Japanese Society of Scientific Fisheries*, 46(6), 733-737.
- Takeuchi T (1996) Essential fatty acid requirements in carp. *Archiv für Tierernaehrung*, 49(1).
- Trichet VV (2010) Nutrition and immunity: an update. *Aquaculture Research*, 41, 356–372.
- Verlhac Trichet V (2010) Nutrition and immunity: an update. *Aquaculture Research*, 41, 356–372.
- Volpato GL, Fernandes MO (1994) Social control of growth in fish. *Brazilian Journal of Medical and Biological Research*, 27, 797–810.
- Watanabe T. (1982) Lipid nutrition in fish. *Comparative Biochemistry and Physiology Part B: Comparative Biochemistry*, 73(1), 3-15.
- Wild F (2012) Herstellung und Charakterisierung von Proteinprodukten aus Palerbsen und deren Potential zur Bildung von Proteinmatrices mit hohen Lipidanteilen in Futtermitteln für Salmoniden. Diplomarbeit, Technische Universität Berlin.
- Wilson RP, Halver JE (1986) Protein and amino acid requirements of fishes. *Annual Review of Nutrition*, 6, 225-44.
- Yamamoto T, Iwashita Y, Matsunaria H, Sugita T, Furuita H, Akimoto A, Okamatsu K, Suzuki N (2010) Influence of fermentation conditions for soybean meal in a non-fish meal diet on the growth performance and physiological condition rainbow trout *Oncorhynchus mykiss*. *Aquaculture*, 309(1-4), 173-180.
- Yamamoto T, Suzuki N, Furuita H, Sugita T, Tanaka N, Takanobu Goto T (2007) Supplemental effect of bile salts to soybean meal-based diet on growth and feed utilization of rainbow trout *Oncorhynchus mykiss*. *Fisheries Science*, 73, 123-131.

8. Wasserqualität

- Alabaster JS, Lloyd R (1982) Water quality criteria for freshwater fish. Food and Agriculture Organization of the United Nations, Butterworths, Boston, MA.
- Barton BA, Schreck CB (1987) Influence of acclimation temperature on interrenal and carbohydrate stress responses in juvenile Chinook salmon (*Oncorhynchus tshawytscha*). *Aquaculture*, 62, 299–310.
- Brauner CJ, Seidelin M, Madsen SS, Jensen FB (2000) Effects of freshwater hyperoxia and hypercapnia and their influences on subsequent seawater transfer in Atlantic salmon *Salmo salar* smolts. *Canadian Journal of Fisheries and Aquatic Sciences*, 57, 2054–2064.
- Brett JR (1956) Some principles in the thermal requirements of fishes. *The Quarterly Review of Biology*, 31, 75–87.
- Caldwell AC, Hinshaw J (1994) Physiological and haematological responses in rainbow trout subjected to supplemental dissolved oxygen in fish culture. *Aquaculture*, 126, 183–193.
- Campagna CG, Cech JJ Jr (1981) Gill ventilation and respiratory efficiency of Sacramento blackfish, *Orthodon microlepidotus* Ayres, in hypoxic environments. *Journal of Fish Biology*, 19, 581–591.
- Carmichael GJ, Tomasso JR, Simco BA, Davis KB (1984) Confinement and water quality-induced stress in largemouth bass. *Transactions of the American Fisheries Society*, 113, 767–777.
- Claireaux G, Audet C (2000) Seasonal changes in the hypo-osmoregulatory ability of brook charr: The role of environmental factors. *Journal of Fish Biology*, 56, 347–373.
- Claireaux G, Webber D, Kerr SR, Boutilier RG (1995) Physiology and behaviour of free-swimming Atlantic cod (*Gadus morhua*) facing fluctuating salinity and oxygenation conditions. *Journal of Experimental Biology*, 198, 61–69.
- Colt J (1984) Computation of dissolved gas concentrations in water as functions of temperature, salinity, and pressure. *American Fisheries Society Fisheries Society Special Publication*, 14. American Fisheries Society, Bethesda, MD.
- Crocker CE, Farrell AP, Gamperl AK, Cech JJ Jr (2000) Cardiorespiratory responses of white sturgeon to environmental hypercapnia. *American journal of physiology. Regulatory, Integrative and Comparative Physiology*, 279, 617–628.
- Donaldson EM (1990) Immunological indicators: effects of environmental stress on immune protection and disease outbreak. In: Adams SM (ed) *Biological indicators of aquatic ecosystem stress*. American Fisheries Society, Bethesda, MD, 38–50.
- Elliot JM (1981) Some aspects of thermal stress on freshwater teleosts. In: Pickering A (ed) *Stress and fish*. Academic Press, New York, 209–245.

Elliot JW (1969) The oxygen requirements of Chinook salmon. The Progressive Fish-Culturist, 31, 67–73.

Espmark AM, Baeverfjord G (2009) Effects of hyperoxia on behavioural and physiological variables in farmed Atlantic salmon (*Salmo salar*) parr. Aquaculture International, 17(4), 341–353.

EU Platform on Animal Welfare Own Initiative Group on Fish (2020). Guidelines on Water Quality and Handling for the Welfare of Farmed Vertebrate Fish (DOC.11068.2020 Rev.1). 20 S. <https://www.vdba.org/wp-content/uploads/2020/05/fishguidelines.pdf>

Fry FEJ (1947) Effects of the environment on animal activity. University of Toronto Studies, Biological Sciences, 55, 1–62.

Fry FEJ (1971) The effect of environmental factors on the physiology of fish. In: Hoar WS, Randall DJ (eds) Fish physiology, 6. Academic Press, New York, 1–98.

Gilmour KM, Perry SF (1994) The effects of hypoxia, hyperoxia or hypercapnia on the acid-base disequilibrium in the arterial blood of rainbow trout. Journal of Experimental Biology, 192, 269–284.

Hettler WF (1976) Influence of temperature and salinity on routine metabolic rate and growth of young Atlantic menhaden. Journal of Fish Biology, 8, 55–65.

Hughes GM (1981) Effects of low oxygen and pollution on the respiratory systems of fish. In: Pickering A (ed) Stress and fish. Academic Press, New York, 121–146.

Lewis WM Jr, Morris DP (1986) Toxicity of nitrite to fish: a review. Transactions of the American Fisheries Society, 115, 183–195.

Lygren B, Hamre K, Waagbø R (2000) Effect of induced hyperoxia on the antioxidant status of Atlantic salmon *Salmo salar* L. fed three different levels of dietary vitamin E. Aquaculture Research, 31, 401–407.

Lochmiller RL, Weichman JD, Zale AV (1989) Hematological assessment of temperature and oxygen stress in a reservoir population of striped bass (*Morone saxatilis*). Comparative Biochemistry and Physiology A, 93, 535–541.

Lutnesky MMF, Szyper JP (1990) Respiratory and behavioral responses of juvenile dolphin fish to dissolved oxygen concentration. Progressive Fish-Culturist, 52, 178–185.

MacIntyre C, Ellis T, North BP & Turnbull JF (2008) The influences of water quality on the welfare of farmed trout: a review. In: Fish Welfare. Ed. Branson, E. Blackwell Scientific Publications, London, 150–178.

Meade JW (1985) Allowable ammonia for fish culture. Progressive Fish-Culturist, 47, 135–145.

Moser ML (1985) Effects of salinity fluctuations on juvenile estuarine fish. Estuaries, 8, A9.

Müller-Belecke, A. (2010). Wasser – Optimale Haltungsumwelt schaffen und wahren. S. 29-39, In: Schmidt-Puckhaber, B. (Ed.), Fisch vom Hof?! –

-
- Fischerzeugung in standortunabhängigen Kreislaufanlagen. DLG-Verlag, Frankfurt a.M., ISBN 978-3-7690-0727-5, 144 S.
- Neill WH, Bryan JD (1991) Responses of fish to temperature and oxygen, and response integration through metabolic scope. In: Tomasso JR (ed) Aquaculture and water quality. World Aquaculture Society, Baton Rouge, LA, 30–57.
- Perry SF, Gilmour KM (2002) Sensing and transfer of respiratory gases at the fish gill. *Journal of Experimental Biology*, 293, 249–263.
- Randall DJ (1991) The impact of variations in water pH on fish. In: Brune DE, Tomasso JR (eds) Aquaculture and water quality. World Aquaculture Society, Baton Rouge, LA, 90–104.
- Rosenthal H, Hoffmann R, Jörgensen L, Krüner G, Peters G, Schlotfeld HJ, Schomann (1982) Water management in circular tanks of a commercial intensive culture unit and its effects on water quality and fish condition. Int. Counc. Expl. Sea, Maricult. Com., C.M. 1982. F22.
- Rümmler F (2015) Förderinitiative Nachhaltige Aquakultur: Untersuchungen zur Aufbereitung des Ablauf- bzw. Reinigungswassers geschlossener Warmwasser-Kreislaufanlagen zur Aufzucht verschiedener Fischarten. Abschlussbericht zum Forschungsvorhaben AZ 30233, 1-72.
- Russo R, Thurston R (1991) Toxicity of ammonia, nitrite, and nitrate to fishes. In: Brune DE, Tomasso JR (eds) Aquaculture and Water Quality. World Aquaculture Society, Baton Rouge, LA, 58–89.
- Stumm W, Morgan JJ (1996) Aquatic chemistry: chemical equilibria and rates in natural waters, 3rd ed. John Wiley and Sons, New York, 1022.
- Timmons MB, Ebeling JM, Wheaton FW, Summerfelt ST, Vinci BJ (2002) Recirculating aquaculture systems, 2nd ed. Cayuga Aqua Ventures, Ithaca, NY, 769.
- Weber JM, Kramer DL (1983) Effects of hypoxia and surface access on growth, mortality, and behavior of juvenile guppies, *Poecilia reticulata*. Canadian Journal of Fisheries and Aquatic Sciences, 40, 1583–1588.
- Wedemeyer GA (1996) Physiology of fish in intensive culture. Chapman & Hall, New York, 232.
- Wedemeyer GA (1997) Effects on rearing conditions on the health and physiological quality of fish in intensive culture. In Iwama GK, Pickering AD, Sumpter JP (1997) Fish stress and health in aquaculture. Society for experimental biology, Seminar series 62, Cambridge University Press, New York, 278.
- Wedemeyer GA, McLeay DJ (1981) Methods for determining the tolerance of fishes to environmental stressors. In: Pickering A (ed) Stress and fish. Academic Press, New York, 247–268.

Welker TL, McNulty ST, Klesius PH (2007) Effect of sublethal hypoxia on the immune response and susceptibility of channel catfish, *Ictalurus punctatus*, to enteric septicemia. *Journal of the World Aquaculture Society*, 38(1), 12–23.

Wood CM, McDonald DG (1990) Impact of environmental acidification on gill function in fish. In: Fish physiology, fish toxicology, and fisheries management, Proceedings of an international symposium, Guangzhou, PRC, 162–18

Xu J, Liu Y, Cui S, Miao X (2006) Behavioral responses of tilapia (*Oreochromis niloticus*) to acute fluctuations in dissolved oxygen levels as monitored by computer vision. *Aquacultural Engineering*, 35, 207–217.

9. Handling und Transport

Arends RJ, Mancera JM, Munoz JL, Bonga SEW, Flik G (1999). The stress response of the gilthead sea bream (*Sparus aurata*L.) to air exposure and confinement. *Journal of Endocrinology*, 163, 149–157.

Barnett CW, Pankhurst NW (1998) The effects of common laboratory and husbandry practices on the stress response of greenback flounder *Rhombosolea tapirine* (Gunther, 1862). *Aquaculture*, 162, 313–329.

Barton BA (2000) Salmonid Fishes Differ in Their Cortisol and Glucose Responses to Handling and Transport Stress. *North American Journal of Aquaculture*, 62(1), 12–18.

Barton BA, Bollig H, Hauskins BL, Jansen CR (2000). Juvenile pallid (*Scaphirhynchus albus*) and hybrid pallid xshovelnose (*S-albus x platorynchus*) sturgeons exhibit low physiological responses to acute handling and severeconfinement. *Comp. Biochem. Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 126, 125–134.

Barton BA, Haukenes AH, Parsons BG, Reed JR (2003) Plasma cortisol and chloride stress responses in juvenile walleyes during capture, transport, and stocking procedures. *North American Journal of Aquaculture*, 65, 210–219.

Barton BA, Peter RE, Paulencu CR (1980) Plasma cortisol levels of fingerling rainbow trout (*Salmo-Gairdneri*) at rest, and subjected to handling, confinement, transport, and stocking. *Canadian Journal of Fisheries and Aquatic Sciences*, 37, 805–811.

Barton BA, Ribas L, Acerete L, Tort L (2005) Effects of chronic confinement on physiological responses of juvenile gilthead sea bream, *Sparus aurata* L., to acute handling. *Aquaculture Research*, 36, 172–179.

Carmichael GJ (1984) Long distance truck transport of intensively reared largemouth bass. *The Progressive Fish-Culturist*, 46, 111–115.

Carmichael GJ, Tomasso JR, Sinnco BA, Davis KB (1984a) Characterization and alleviation of stress associated with hauling largemouth bass. *Transactions of the American Fisheries Society*, 113, 778–785.

Carmichael GJ, Tomasso JR, Sinnco BA, Davis KB (1984b) Confinement and water quality-induced stress in largemouth bass. *Transactions of the American Fisheries Society*, 113, 767–777.

Chandroo KP, Cooke SJ, McKinley RS, Moccia RD (2005) Use of electromyogram telemetry to assess the behavioural and energetic responses of rainbow trout, *Oncorhynchus mykiss* (Walbaum) to transportation stress. *Aquaculture Research*, 36, 1226–1238.

Cook KV, Lennox RJ, Hinch SG, Cooke SJ (2015) FISH Out of WATER: How Much Air is Too Much? *Fisheries*, 40(9) 452-461.

Davis KB, Parker NC (1986) Plasma corticosteroid stress response of 14 species of warmwater fish to transportation. *Transactions of the American Fisheries Society*, 115, 495–499.

Davis LE, Schreck CB (1997). The energetic response to handling stress in juvenile coho salmon. *Transactions of the American Fisheries Society*, 126, 248–258.

Erikson U, Sigholt T, Seland A (1997) Handling stress and water quality during live transportation and slaughter of Atlantic salmon (*Salmo salar*). *Aquaculture*, 149, 243–252.

Finstad B, Iversen M, Sandodden R (2003) Stress-reducing methods for releases of Atlantic salmon (*Salmo salar*) smolts in Norway. *Aquaculture*, 222, 203–214.

Fotedar S, Evans L (2011) Health management during handling and live transport of crustaceans: A review *Journal of Invertebrate Pathology*, 106, 143–152.

Gomes LC, Roubach R, Araujo-Lima CARM, Chippari-Gomes AR, Lopes NP, Urbinati EC (2003) Effect of Fish Density During Transportation on Stress and Mortality of Juvenile Tambaqui *Colossoma macropomum*. *Journal of the World Aquaculture Society*, 34(1), 76–84.

Iversen M, Finstad B, McKinley RS, Eliassen RA, Carlsen KT, Evjen T (2005) Stress responses in Atlantic salmon (*Salmo salar* L.) smolts during commercial well boat transports, and effects on survival after transfer to sea. *Aquaculture*, 243, 373–382.

Iversen M, Finstad B, Nilssen KJ (1998) Recovery from loading and transport stress in Atlantic salmon (*Salmo salar* L.) smolts. *Aquaculture*, 168, 387–394.

Jonsson S, Brannas E, Lundqvist H (1999) Stocking of brown trout, *Salmo trutta* L.: effects of acclimatization. *Fisheries Management and Ecology*, 6, 459–473.

LfL (2013) Praktische und rechtliche Aspekte beim Fischtransport. Kraus G, Harrer D, Wedekind H, Bayerische Landesanstalt für Landwirtschaft (LfL).

Lines JA, Spence J (2011) Safeguarding the welfare of farmed fish at harvest. *Fish Physiology and Biochemistry*, 38, 153–162.

Lines JA, Spence J (2014) Humane Harvesting of Salmon and Trout. *Revue scientifique et technique (International Office of Epizootics)*, 33(1), 255-264.

-
- Paterson BD, Rimmer MA, Meikle GM, Semmens GL (2003) Physiological responses of the Asian sea bass, *Lates calcarifer*, to water quality deterioration during simulated live transport: acidosis, red-cell swelling, and levels of ions and ammonia in the plasma. *Aquaculture*, 218, 717–728.
- Pickering AD (1992) Rainbow trout husbandry—management of the stress response. *Aquaculture*, 100, 125–139.
- Portz DE, Woodley CM, Cech Jr JJ (2006) Stress-associated impacts of short-term holding on fishes. *Biology and Fisheries*, 6(2), 125–170.
- Rotllant J, Pavlidis M, Kentouri M, Abad ME, Tort L (1997) Non-specific immune responses in the red porgy *Pagrus pagrus* after crowding stress. *Aquaculture*, 156, 279–290.
- Sampaio F, Freire C (2016) An overview of stress physiology of fish transport: Changes in water quality as a function of transport duration. *Fish and Fisheries*, 17(4), 1055–1072.
- Schreck CB, Jonsson L, Feist G, Reno P (1995) Conditioning improves performance of juvenile Chinook salmon, *Oncorhynchus tshawytscha*, to transportation stress. *Aquaculture*, 135, 99–110.
- Schreck CB, Solazzi MF, Johnson SL, Nickelson TE (1989) Transportation stress affects performance of coho salmon, *Oncorhynchus kisutch*. *Aquaculture*, 82, 15–20.
- Sharpe CS, Thompson DA, Blankenship HL, Schreck CB (1998) Effects of routine handling and tagging procedures on physiological stress responses in juvenile Chinook salmon. *The Progressive Fish-Culturist*, 60, 81–87.
- Specker JL, Schreck CB (1980) Stress responses to transportation and fitness for marine survival in coho salmon (*Oncorhynchus kisutch*) smolts. *Canadian Journal of Fisheries and Aquatic Sciences*, 37, 765–769.
- Tacchi L, Lowrey L, Musharrafieh R, Crossey K, Larragoite ET, Salinas I (2015) Effects of transportation stress and addition of salt to transport water on the skin mucosal homeostasis of rainbow trout (*Oncorhynchus mykiss*). *Aquaculture*, 435, 120–127.
- Tipping JM (1998) Return rates of transported steelhead smolts with and without a rest period before release. *The Progressive Fish-Culturist*, 60, 284–287.
- Waring CP, Poxton MG, Stagg RM (1997) The physiological response of the turbot to multiple net confinements. *Aquaculture International*, 5, 1–12.
- Wedekind, H. (2005): Untersuchungen zur Stress- und Handlingsempfindlichkeit bei Barschartigen. Gemeinschaftstagung der Deutschen, der Österreichischen und der Schweizer Sektion der European Association of Fish Pathologists (EAFP), 8.-10. September 2004 in Stralsund, S.280-291.
- White AJ, Schreer JF, Cooke SJ (2008) Behavioral and physiological responses of the congeneric largemouth (*Micropterus salmoides*) and smallmouth bass (M.

dolomieu) to various exercise and air exposure durations. *Fish Research*, 89, 9–16.

10. Betäubung und Schlachtung

Carter KM, Woodley CM, Brown RS (2011) A review of tricaine methanesulfonate for anaesthesia of fish. *Reviews in Fish Biology and Fisheries*, 21(1), 51-59.

Daskalova A, Pavlov A, Kyuchukova R, Daskalov H (2016) Humane Slaughter of Carp – A Comparison between Three Stunning Procedures. *Turkish Journal of Fisheries and Aquatic Sciences*, 16, 753-758.

Daskalova AH & Pavlov AI (2015) Effect of two stunning methods on post-mortem muscle pH and meat quality of common carp (*Cyprinus carpio L.*). *Bulgarian Journal of Veterinary Medicine*, 18(1), 83-90.

EFSA (2004) Welfare aspects of the main systems of stunning and killing the main commercial species of animals. *The EFSA Journal*, 45, 1 -270.

EFSA (2009) Opinion of the Scientific Panel on Animal Health and Welfare on a request from the European Commission on food safety considerations concerning the species-specific welfare aspects of the main systems of stunning and killing of farmed fish. *The EFSA Journal*, 1090, 1-16.

EFSA (2009a) Scientific Opinion of the Panel on Animal Health and Welfare on a request from the European Commission on welfare aspect of the main systems of stunning and killing of farmed eel (*Anguilla anguilla*). *The EFSA Journal*, 1014, 1-42.

EFSA (2009b) Scientific Opinion of the Panel on Animal Health and Welfare on a request from the European Commission on welfare aspect of the main systems of stunning and killing of farmed turbot. *The EFSA Journal*, 1073, 1-34.

EFSA (2009c) Scientific Opinion of the Panel on Animal Health and Welfare on a request from the European Commission on Species-specific welfare aspects of the main systems of stunning and killing of farmed rainbow trout. *The EFSA Journal*, 1013, 1-55.

EFSA (2009d) Scientific Opinion of the Panel on Animal Health and Welfare on a request from the European Commission on welfare aspect of the main systems of stunning and killing of farmed Atlantic salmon. *The EFSA Journal*, 1012, 1-77.

Gaede L, Füllner G, Bräuer G, Gottschalk J, Einspanier A, Ludewig M, Tryuen U, Möbius G (2016) Untersuchungen zur Erprobung von geeigneten Betäubungsverfahren für die Schlachtung Afrikanischer Welse (*Clarias gariepinus*). *Schriftenreihe des LfULG*, Heft 1/2016, 1-92.

Gräns A, Niklasson L, Sandblom E, Sundell K, Algers B, Berg C, Lundh T, Axelsson M, Sundh H, Kiessling A (2015) Stunning fish with CO₂ or electricity: contradictory results on behavioural and physiological stress responses. *Animal*, 10(2), 294-301.

Hellmann J, Hörnig W, Lüpke M, Steinhagen D (2014) Abschlussbericht zum Forschungsvorhaben Betäuben und Schlachten von Afrikanischen Welsen. 1-40 S.

Iversen M, Finstad B, McKinley RS, Eliassen RA (2003) The efficacy of metomidate, clove oil, Aqui-S (TM) and Benzoak (R) as anaesthetics in Atlantic salmon (*Salmo salar* L.) smolts, and their potential stress-reducing capacity. *Aquaculture*, 221, 549–566.

Jawahery S, Nekoubin H, Moradlu AH (2012) Effect of anaesthesia with clove oil in fish (review). *Fish Physiology and Biochemistry*, 38(6), 1545-1552.

Kestin SC, Van de Vis JW, Robb DHF (2002) Protocol for assessing brain function in fish and the effectiveness of methods used to stun and kill them. *Veterinary Record*, 150, 302-308.

Kestin SC, Wotton SB, Gregory NG (1991) Effect of slaughter by removal from water on visual evoked activity in the brain and reflexmovement of rainbow trout (*Oncorhynchus mykiss*). *Veterinary Record*, 128, 443-446.

Kiessling A, Johansson D, Zahl ICH, Samuelsen OB (2009) Pharmacokinetics, plasma cortisol and effectiveness of benzocaine, MS-222 and isoeugenol measured in individual dorsal aorta-cannulated Atlantic salmon (*Salmo salar*) following bath administration. *Aquaculture*, 286, 301–308.

Lambooij E, Kloosterboer RJ, Gerritzen MA, van de Vis JW (2006) Assessment of electrical stunning in fresh water of African catfish (*Clarias gariepinus*) and chilling in ice water for loss of consciousness and sensibility. *Aquaculture*, 254, 388-395.

Lambooij E, Kloosterboer RJ, Pieterse C, Gerritzen MA, Van de vis JW (2003). "Stunning of farmed African catfish (*Clarias gariepinus*) using a captive needle pistol; assessment of welfare aspects." *Aquaculture Research* 34(14): 1353-1358.

Lambooij E, van de Vis JW, Kloosterboer RJ, Pieterse C (2002) Welfare aspects of live chilling and freezing of farmed eel (*Anguilla anguilla* L.): neurological and behavioural assessment. *Aquaculture*, 210(1-4), 159-169.

Lambooij E, Grimsbo E, van de Vis JW, Reimert HGM, Nortvedt R, Roth B (2010) Percussion and electrical stunning of Atlantic salmon (*Salmo salar*) after dewatering and subsequent effect on brain and heart activities. *Aquaculture*, 300(1-4), 107-112.

Lines JA, Robb DH, Kestin SC, Crook SC, Benson T (2003) Electric stunning: a humane slaughter method for trout. *Aquacultural Engineering*, 28, 141-154.

Lines JA, Spence J (2011) Safeguarding the welfare of farmed fish at harvest. *Fish Physiology and Biochemistry*, 38, 153–162.

Lines JA, Spence J (2014) Humane harvesting and slaughter of farmed fish. *Revue Scientifique et Technique-Office International des Epizooties*, 33(1), 255-264.

-
- Marx H, Brunner B, Weinzierl W (1997) Methods of stunning freshwater fish: impact on meat quality and aspects of animal welfare. Zeitschrift für Lebensmittel und Untersuchung, Forschung A, 204, 282-286.
- Morzel M, Sohier D, van de Vis H (2002) Evaluation of slaughtering methods for turbot with respect to animal welfare and flesh quality. Journal of the Science of Food and Agriculture, 83(1), 19-28.
- MuD (2017) Empfehlungen zur Betäubung und Schlachtung von Regenbogenforellen. Verbesserung des Tierschutzes bei Betäubung und Schlachtung von Regenbogenforellen und Karpfen in Fischzuchten mit unterschiedlichen Vermarktungsstrategien, 1-9.
- MuD (2017a) Empfehlungen zur Betäubung und Schlachtung von Karpfen. Verbesserung des Tierschutzes bei Betäubung und Schlachtung von Regenbogenforellen und Karpfen in Fischzuchten mit unterschiedlichen Vermarktungsstrategien, 1-9.
- OIE (2016) Welfare aspects of stunning and killing of farmed fish for human consumption. Aquatic Animal Health Code 10/06/2016, 1-4.
- Popovic NT, Strunjak-Perovic I, Coz-Rakovac R, Barisic J, Jadan M, Berakovic AP, Sauerborn Klobucar R (2012) Tricaine methane-sulfonate (MS-222) application in fish anaesthesia. Journal of Applied Ichthyology, 28, 553-564.
- Ross LG, Ross B (1999) Anaesthetic and sedative techniques for aquatic animals. Blackwell Science, Oxford/England.
- Robb DHF, Kestin SC (2002) Methods used to kill fish: field observations and literature reviewed. Animal Welfare, 11, 269-282.
- Robb DHF, Wotton SB, McKinstry JL, Sorensen NK, Kestin SC (2000) Commercial slaughter methods used on Atlantic salmon: determination of the onset of brain failure by electroencephalography. Veterinary Record, 147, 298-303.
- Sattari A, Lambooij E, Sharifi H, Abbink W, Reimert H, van de Vis JW (2010) Industrial dry electro-stunning followed by chilling and decapitation as a slaughter method in Claresse® (Heteroclariassp.) and African catfish (*Clarias gariepinus*). Aquaculture, 302, 100-105.
- Seth H, Axelsson M, Sundh H, Sundell K, Kiessling A and Sandblom E (2013) Physiological responses and welfare implications of rapid hypothermia and immobilisation with high levels of CO₂ at two temperatures in Arctic char (*Salvelinus alpinus*). Aquaculture, 146-151.
- Small BC (2003) Anesthetic efficacy of metomidate and comparison of plasma cortisol responses to tricaine methanesulfonate, quinaldine and clove oil anesthetized channel catfish *Ictalurus punctatus*. Aquaculture, 218, 177-185.
- Soto CG, Burhanuddin (1995) Clove oil as a fish anaesthetic for measuring length and weight of rabbitfish (*Siganus lineatus*). Aquaculture, 136(1-2), 149-152.

-
- Tort L, Puigcerver M, Crespo S, Padros F (2002) Cortisol and haematological response in sea bream and trout subjected to the anaesthetics clove oil and 2-phenoxyethanol. *Aquaculture Research*, 33, 907–910.
- Tuengerthal H, Kurze S, Wegener J, Rothenhöfer M (2012) Tierschutzaspekte bei Betäubung, Schlachtung und Tötung von Fischen = Aspects of animal health concerning stunning, slaughtering and killing of fish. *Archiv für Lebensmittelhygiene*, 63(1), 4-10.
- van de Vis H, Kestin S, Robb D, Oehlenschlager J, Lambooij B, Munkner W, Kuhlmann H, Kloosterboer K, Tejada M, Huidobro A, Ottera H, Roth B, Sorensen NK, Akse L, Byrne H, Nesvadba P (2003) Is humane slaughter of fish possible for industry? *Aquaculture Research*, 34, 211-220.
- Wagner GN, Singer TD, McKinley RS (2003) The ability of clove oil and MS-222 to minimize handling stress in rainbow trout (*Oncorhynchus mykiss* Walbaum). *Aquaculture Research*, 34(13), 1139-1146.
- Zahl IH, Samuelsen O, Kiessling A (2012) Anaesthesia of farmed fish: implications for welfare. *Fish Physiology and Biochemistry*, 38(1), 201-218.
- Zahl HI, Kiessling A, Samuelsen OB & Olsen RE (2010) – Anaesthesia induces stress in Atlantic salmon (*Salmo salar*), Atlantic cod (*Gadus morhua*) and Atlantic halibut (*Hippoglossus hippoglossus*). *Fish Physiology*, 36, 719–730.